

1.4-1

INDEX MAPS.

T.10.N R.5W 2nd Mer.

	106-109	107-109	107-109	107-108	107-108	108						
111	6	129	5	124	4	120	3	117	2	114	1	106
	128		128		123		120		116		114	
111	7	128	8	123	9	120	10	116	11	114	12	106
	127		127		123		119		116		113	
110	18	127	17	122	16	119	15	116	14	113	13	105
	127		126		122		119		115		113	
110	19	126	20	122	21	118	22	130	23	112	24	105
	125		125		121		118		130		112	
110	30	125	29	121	28	118	27	130	26	112	25	105
	124		124		121		117		129		111	
109	31	124	32	121	33	117	34	115	35	111	36	104
	104		104		104		103		103		103	

T.11.N R.5W 2nd Mer.

	139		139		139		138		138		138	
141	6	159	5	155	4	151	3	148	2	145	1	137
	159		159		154		151		148		144	
141	7	159	8	154	9	151	10	148	11	144	12	137
	158		158		154		150		147		144	
141	18	158	17	154	16	150	15	147	14	143	13	136
	157		157		153		150		147		143	
140	19	157	20	153	21	150	22	146	23	143	24	136
	156		156		153		149		146		143	
140	30	156	29	152	28	149	27	146	26	142	25	136
	156		155		152		149		146		142	
140	31	155	32	152	33	149	34	145	35	142	36	135
	133-135		133-135		133-135		133-134		133-134		134	

The figures on the lines refer to the page.

Township N. 11. North of Range N. 3 West of the 2nd Mer. Sec. 1.
Ch. Lk.

South Bond 17.

East On a Random line On the South Bond 17 of sec. 31. T11N R5W
35.50 To a Brook. 15 links mid, Corner NW.
40.00 Set a trap 7 1/4 la post
80.00 Set a trap 7 feet for the cor. of sec. 31 & 32
Thick wood; Timber Oak, Beech, Sugar, etc.

East On a Random line On the South Bond 17 of sec. 32. T11N R5W
34.00 To a Brook. 5 links mid, Corner SE.
40.00 Set a trap 7 1/4 la post
45.00 To a Brook. 6 links mid, Corner NW.
80.00 Set a trap 7 feet for the cor. of sec. 32 & 33
Land & timber same as last mile.

East. On a Random line On the South Bond 17 of sec. 33. T11N R5W
2.00 To a Brook 3 links mid, Corner N.
15.00 " " 10. 3 " " " NW.
26.00 " " 10. 10 " " " NW.
35.00 " " 10. 3 " " " S.
40.00 Set a trap 7 1/4 la post
65.00 To a Brook. 4 links mid, Corner NW.
80.00 Set a post, trap 1, for the cor. of sec. 33 & 34. T11N R5W
Land and timber same as last mile.

East On a Random line On the South Bond 17 of sec. 34. T11N R5W
2.00 To a Brook 3 links mid, Corner N.
33.00 " " 10. 3 " " " NW.
40.00 Set a trap 7 1/4 la post (trap 1)
70.00 To a Brook 10 links mid, Corner NW.
80.00 Set a trap 7 feet for the cor. of sec. 34 & 35.
Land and timber similar to last mile.

East On a Random line On the South Bond 17 of sec. 35. T11N R5W

D. No. 11. N. R. No. 57. 2nd Mm Ind.

35.00	Trapping Corner A. Great appearance of Ohio coal
40.00	Set a trap 7 1/4 sa post
80.00	Set a trap 7 post for the cor of sw 35 & 36. Gravelly and rich; Timber Sugar, Ash & Oak.
East	On the line On the South Boundary of sw. 36. 11. N. R. 57
2.00	Trapping 10 links into, Corner A.
30.00	" " No. 10 " " " A.
40.00	Set a trap 7 1/4 sa post
80.00	Set 400 links North of the trap 7 post; & set a post from which Sugar 18 in. dia. beam. 25 E. 21 links into and " No 18 " " " 25 E. 9 " " The last named post stands for cor of 2. 10 11. N. R. 4 & 5
West	On the line On the South Boundary of sw. 36. 11. N. R. 57
40.00	Set the 7 sa post on the line from which (trap) Oak 5 in. dia. beam. 28 N. 17 links into; & a, R. Oak 36 " " " 27 E. 39 " "
80.00	Set a post for the cor. of sw. 35 & 36 from which Oak 16 in. dia. beam. 38 N. 15 links into; & a, Oak 24 " " " 38 E. 48 " "
West	On the line On the South Boundary of sw. 35. 11. N. R. 57
40.00	Set the trap 7 1/4 sa post on the line from which Sugar 16 in. dia. beam. 22 N. 26 links into; & a, Oak 18 " " " 26 E. 26 " "
80.00	Set a post trap 7 in the line for the cor of sw. 34 & 35 from which Log wood 8 in. dia. beam. 45 N. 21 links into; & a, and Oak 7 " " " 48 E. 13 " "
West	On the line On the South Boundary of sw. 34. 11. N. R. 57
40.00	Set the trap 7 1/4 sa post on the line from which Sugar 12 in. dia. beam. 29 E. 15 links into; & a,

135

T. No. 11. N.R. No. 571. 2nd (New) Ind.

80.00	<p> <i>Aspen</i> 12 in. diam. beand. N41E. 6 links each; & Set a post for the cor. of sec. 33 T11 R57N from which a Sugar. 16 in. diam. beand. S52 77.14 links each; & a Do. 16" " " N45E. 20 " " </p>
West 40.00	<p> On the true line On the South Boundary of sec. 33 T11 R57N Set the temp. 7/4 post on the true line from which a Hick. 18 in. diam. beand. N18E. 12 links each; & a Cholla 9" " " N3E. 24 " " </p>
80.00	<p> Set a temp. 7/4 post on the true line for the cor. of sec. 32 T11 R57N from which a Buck. 18 in. diam. beand. N64 77.10 links each; & a Do. 18" " " N47E. 14 " " </p>
West 40.00	<p> On the true line On the South Boundary of sec. 32 T11 R57N Set the temp. 7/4 post on the true line from which a Hick. 12 in. diam. beand. N57 77.5 links each; & a Buck. 16" " " S59E. 29 " " </p>
80.00	<p> Set a post temp. 7/4 on the true line for the cor. of sec. 31 T11 R57N from which a Buck. 18 in. diam. beand. S53 77.11 links each; made a Hick. 12" " " N55E. 11 " " </p>
West 40.00	<p> On the true line On the South Boundary of sec. 31 T11 R57N Set the temp. 7/4 post on the true line from which a Buck. 18 in. diam. beand. N52 77.28 links each; & a Oak 9" " " S33E. 23 " " </p>
80.00	<p> To the post cor. of Secs. 10 & 11 T11 R57N. </p>
East Boundary	
North 28.00	<p> On the East Boundary of sec. 36 T11 R57N From the cor. of T. 10 & 11 N.R. 57N. </p>
40.00	<p> To a 7/4 post from which a Sugar. 12 in. diam. beand. S10E. 8 links each; & a </p>

T. N. 11. N. R. N. 5 W. 2nd Mer. Sur.

Height 12 in. diam. beam. N 67 W. 25 units each;
 41.00 Iron Brook 6 links wide, comes W.
 80.00 Set a post for the cor. of sec. 25 & 26. From which
 Sugar 18 in. diam. beam. N 60 E. 13 links each; & a,
 Do. 18 " " " S 85 W. 19 " "
 Sand hilly and rich Timber Beech, Sugar, Oak, &c

North On the East Boundary of sec. 25 T. 11. N. R. 5 W.
 17.00 Iron Sugar 18 in. diam. stands in the line.
 25.00 " " Brook 5 links wide, comes W.
 40.00 Set a post for the cor. of sec. 24 & 25 from which
 Sugar 14 in. diam. beam. S 55 E. 22 links each; & a,
 Beech 8 " " " N 55 W. 20 " "
 45.00 Iron Brook 3 links wide, comes W.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Sugar 12 in. diam. beam. N 66 E. 27 links each; & a,
 Elm 36 " " " S 78 W. 35 " "
 Sand hilly and rich; Timber Sugar, Beech, & Oak.

North On the East Boundary of sec. 24. T. 11. N. R. 5 W.
 21.00 Iron Brook 3 links wide, comes W.
 30.00 " " Do. 3 " " " S. W.
 40.00 Set a post for the cor. of sec. 23 & 24 from which
 Oak 16 in. diam. beam. N 86 W. 12 links each; & a,
 Beech 6 " " " S 76 E. 14 " "
 60.00 Iron Oak 14 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 13 & 24 from which
 Height 18 in. diam. beam. N 38 E. 16 links each; & a,
 Chestnut 6 " " " S 18 W. 25 " "
 Sand & timber same as last mile.

North On the East Boundary of sec. 13. T. 11. N. R. 5 W.
 31.50 Iron Brook 10 links wide, comes W.

35.00 Iron Brook. 10 links mid, course W.
 40.00 Set a 7/4 post from which
 Buck. 6 in. dia. beam. N 86 W. 15 links out; & a
 Ironwood " " " " N 41 E. 23 " "
 70.00 Iron Brook. 3 links mid, course W.
 80.00 Set a post for the cor. of sec. 12 & 13 from which
 Buck. 6 in. dia. beam. S 63 E. 7 links out; & a
 Sugar. 12 " " " " N 39 W. 20 " "
 Sand & timber same as last mile.

North On the East Bound of sec. 12 T. 11. N. R. 5 W.
 1.00 Iron Brook. 3 links mid, course W.
 10.00 " " " " " " " " W.
 26.25 " " Sugar. 24 in. dia. in the line.
 40.00 Set a 7/4 post from which
 Buck. 10 in. dia. beam. S 33 E. 23 links out; & a
 " " " " " " " " N 10 W. 11 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which
 Ash. 18 in. dia. beam. S 14 W. 54 links out; & a
 " " " " " " " " N 26 W. 68 " "
 Sand and timber same as last mile. May 3^d 1811

North On the East Bound of sec. 1 T. 11. N. R. 5 W.
 5.00 Iron Brook. 5 links mid, course W.
 24.00 " " " " " " " " W.
 40.00 Set a 7/4 post from which
 Buck. 12 in. dia. beam. N 82 E. 15 links out; & a
 " " " " " " " " N 55 W. 20 " "
 51.30 To Sugar. 12 in. dia. Stone as in the line
 80.00 Set a temp. 7/4 post for the cor. of T. 11 & 12. N. R. 4 & 5 W.
 Sand same as last mile

A. Boundary

T. N. 11. N. R. N. 5 W. 2nd Mer. Sur.

East On a Random line between T. 11 & 12 N. R. 5 W. 5 miles
 7/8 ch. 3/4 ch. South of Term. cor.

May 5th 1811.

Corrected and Marked the line.

West On the true line On the South Boundary of sec. 36. T. 12 N. R. 5 W.
 30.00 To a Brook 20 links mid., Course S.

40.00 Set a 7/11 sap post on the true line from which a
 Buck. 16 in. diam. bears N 85 E. 21 links east; & a,
 Do. 8 " " " S 77 N. 19 " "

80.00 Set a post for the cor. of sec. 35 & 36 from which a
 Hick 17 in. diam. bears N 25 E. 18 links east; & a,
 Buckeye 6 " " " S 14 N. 5 " "
 Good Buck land.

West On the true line On the South Boundary of sec. 35. T. 12 N. R. 5 W.
 6.00 To a Brook. 25 links mid., Course S.

40.00 Set a 7/11 sap post on the true line from which a
 Buck. 16 in. diam. bears S 27 N. 9 links east; & a,
 Do. 16 " " " N 16 E. 31 " "

71.00 To a Brook. 5 links mid., Course N.

80.00 Set a post for the cor. of sec. 34 & 35 from which a
 Buck. 16 in. diam. bears S 32 E. 17 links east; & a,
 Do. 18 " " " N 52 N. 27 " "
 Good land Timber Buck, Oak & Poplar.

West On the true line On the South Boundary of sec. 34. T. 12 N. R. 5 W.

40.00 Set a 7/11 sap post from which a

Buck. 13 in. diam. bears N 77 N. 16 links east; & a,
 Oak. 16 " " " S 86 E. 43 " "

61.00 To a Brook 8 links mid., Course N.

80.00 Set a post for the cor. of sec. 33 & 34 from which a
 Buck 16 in. diam. bears N 67 N. 17 links east; & a,
 Oak 18 " " " S 66 E. 38 " "

Levee Back land.

West	On the true line On the South Corner of sec. 33. T12 N37W.
6.00	Iron Brook. 4 links wide, leaves N.
21.00	" " " " " " " " " " " "
40.00	Set a 7/4 post from which a Puck 15 in dia. beam. S45 E. 2 links out; & a, " " " " " " " " " " " "
80.00	Set a post for the cor. of sec. 32 & 33 from which a Puck 15 in dia. beam. S45 E. 2 links out; & a, " " " " " " " " " " " "
	Sands and timber same as last mile.
West	On the true line On the South Corner of sec. 32. T12 N37W.
40.00	Set a 7/4 post from which a Puck 15 in dia. beam. N15 E. 27 links out; & a, " " " " " " " " " " " "
80.00	Set a post for the cor. of sec. 31 & 32 from which an Elm 9 in dia. beam. S17 W. 20 links out; & a, Hackberry 8 " " " " " " " " " " " "
	Sands & timber same as last mile.
West	On the true line On the South Corner of sec. 31. T12 N37W.
4.00	Iron Brook. 200 links wide, leaves E.
16.00	" " Brook. 10 " " " " " " " " " "
40.00	Set a 7/4 post from which a Puck 16 in dia. beam. S35 E. 17 links out; & a, Oak 30 " " " " " " " " " " " "
43.50	Iron Brook. 6 links wide, leaves N.E.
78.00	Set 200 links North of the Simple Post and set a post for the cor. of T. 11 & 12 N. R. 57 & 58 W. from which a Puck 30 in dia. beam. N7 E. 19 links out; & a, Oak 16 " " " " " " " " " " " "

T. N. 11. N.R. N. 5 W. 2nd Mer. Ind.

Rich land; Timber Buck, Oak, Sugar &c.

West Boundary

North On the East Boundary of sec. 36. T. 11. N.R. 6 W.
 40.00 Set a 7/8" post from which a
 W Oak 12 in. diam. bound. S 25 E. 30 links dist; & a
 do. 18 " " " N 37 E. 16 " "
 65.00 To a Brook 40 links wide, Corner S.W.
 80.00 Set a post for the cor. of sec. 25 & 36 from which a
 Maple 16 in. diam. bound. N 10 E. 7 links dist; & a
 Ash 16 " " " S 41 W 23 " "
 Land not bottom; Timber Ash Elm, Buck &c.

North On the East Boundary of sec. 25. T. 11. N.R. 6 W.
 20.25 To a Sugar. 18 in. diam. in the tree.
 33.00 " " Brook 10 links wide, Corner S.W.
 40.00 Set a 7/8" post from which a
 Hickory 14 in. diam. bound. S 25 E. 13 links dist; & a
 do. 12 " " " N 27 W. 44 " "
 80.00 Set a post for the cor. of sec. 24 & 25 from which an
 Elm 16 in. diam. bound. S 18 E. 24 links dist; & a
 Ash 5 " " " N 4 E 6 " "
 Land oak; Timber Sugar, Ash, & Walnut.

North On the East Boundary of sec. 24. T. 11. N.R. 6 W.
 13.00 To a Spring 9 links wide, Corner W.
 36.00 To a Brook 4 links wide, Corner W.
 38.00 " " Spring - " " " S.W.
 40.00 Set a 7/8" post from which a
 Buck 30 in. diam. bound. S 51 W 12 links dist; & a
 W Oak 30 " " " N 18 W 43 " "
 59.00 To a Spring Corner W.
 65.00 " " do " " W.

T. N. H. N. R. N. 5 N. 2nd Mer. Ind.

80.00	Set apart for the cor. of sec. 13. & 24 from which a Buck 6 in. diam. beam. S 4 E. 3 links east; & a, Do. 30, " " " N 67. 28, " Sands and timber same as last mile.
North	On the East Boundary of sec. 13. T. 11. N. R. 6 N.
40.00	Iron Brook. 45 links wide, Course N.
40.00	Set apart for the cor. of sec. 13. & 24 from which a Buckeye 7 in. diam. beam. S 42 N. 20 links east; & a, Hackberry 14, " " " N 69 E. 29, " " 55.00 Tracked creek.
70.00	Iron Creek 200 links wide, Course S. N.
80.00	Set apart for the cor. of sec. 12 & 13 from which a Buckeye 15 in. diam. beam. S 25 N. 32 links east; & a, Hack 7. 18 " " " " N 39 E. 41 " " Sands and timber same as last mile.
North	On the East Boundary of sec. 12. T. 11 N. R. 6 N.
16.00	Iron Brook 20 links wide, Course S. E.
40.00	Set apart for the cor. of sec. 12 & 13 from which a Buckeye 11 in. diam. beam. S 18 E. 14 links east; & a, Hackberry 24, " " " " N 75 N. 20, " " 53.50 To an Oak. 36 in. diam. Stands in the timber.
80.00	Set apart for the cor. of sec. 1. & 12 from which a Elm. 6 in. diam. beam. S 15 E. 14 links east; & a, Cherry 7, " " " " N 31 N. 9, " " Sands & timber same as last mile. Buckeye Walnut &
North	On the East Boundary of sec. 1. T. 11. N. R. 6 N.
22.25	Iron Brook. 8 in. diam. Stands in the timber.
30.00	" " Brook 3 links wide, Course N.
35.00	" " Do. 5 " " " " S. N.
40.00	Set apart for the cor. of sec. 1 & 12 from which a

E
C
Ind.

T. N. 11. N. R. N. 57. 2nd Mer. Ind.

Buck. 16 in. diam. beam. N 13 E. 18 links each; & a,
 Lb. 16 " " " S 5 E. 33 " "
 80.00 Set a temporary post for the cor. of T. 11 & 12 N. R. 57
 Sand herb Timber Buck, Oak, Hickory &c.
 Surveyed by
 Alexander, Northrup & S.

Subdivisions.

Apr. 1st 18. 14.

North Between Sec. 35. & 36. T. 11. N. R. N. 57.
 25.00 To a Buck 8 links wide. Course S. W.
 110.00 Set a post for the cor. of 14 Sec. from which a
 Poplar 6 in. diam. beam S. 12. W. 5. links each; & a
 Walnut 9 " " " G. 3. W. 27 " "
 80.00 Set a temporary post for the cor. of Sec. 25, 26, 35 & 36.
 Land measuring gear; Timber Buck Sugar &c.
 East On a Random line between Sec. 25. & 36. T. 11. N. R. 57.

West On a true line between Sec. 25. & 36. T. 11. N. R. 57.
 40.00 Set a 7/8" post on the true line from which a
 Buck. 18 in. diam. beam. East. 18 links each; & a,
 Lb. 9 " " " N 83 W. 29 " "
 78.50 Set a post for the cor. of Sec. 25, 26, 35 & 36 from which a
 Ash. 18 in. diam. beam. East 25 links each; & a,
 Hickory 15 " " " S 47 W. 13 " "
 Sand and timber same as last mile.

North Between Sec. 25 & 26, T. 11. N. R. 57.
 40.00 Set a 7/8" post from which a
 Buck. 15 in. diam. beam. S 86 W. 21 links each; & a,
 Sugar 7 " " " N 76 E. 38 " "
 70.50 To a Buck 20 in. diam. stands in the line.

T^h 11th N.R. N. 5th W. 2nd Mer. Sec.

80.00	Set a temporary post for the cor. of Sec. 23, 24, 25, & 26. Flat wet Bush & Oak Land.
East	On a Random line between Sec. 24 & 25. T ^h 11 th N.R. 5 th W.
West	On the true line between Sec. 24 & 25. T ^h 11 th N.R. 5 th W.
40.00	Set a 1/4 section post on the true line from which a Bush 5 in. diam. bears N 47 N. 5 links due; & a, Oak 7 " " " S 41 W. 4 " "
78.50	Set a post for the cor. of Sec. 23, 24, 25 & 26 from which a Bush 8 in. diam. bears S 10 E. 8 links due; & a, Hogwood 6 " " " N 41 E. 15 " " Good lands; Timber Sugar, Walnuts &c.
North	Return Sec. 23 & 24 T ^h 11 th N.R. 5 th W.
40.00	Set a 1/4 section post from which a Bush 9 in. diam. bears East 4 links due; & a, Do. 8 " " " S 72 W. 10 " "
80.00	Set a temporary post for the cor. of Sec. 13, 14, 23 & 24 Rich hilly land; Timber Sugar, Bush, Walnuts
East	On a Random line between Sec. 13 & 24. T ^h 11 th N.R. 5 th W.
West	On the true line between Sec. 13 & 24. T ^h 11 th N.R. 5 th W.
40.00	Set a 1/4 section post on the true line from which a Bush 10 in. diam. bears N 9 E. 13 links due; & a, Do. 20 " " " South 15 " "
79.00	Set a post for the cor. of Sec. 13, 14, 23 & 24 from which a Bush 12 in. diam. bears S 9 E. 19 links due; & a, Do. 12 " " " N 10 E. 18 " " Land and timber same as last sec.
North	Return Sec. 13 & 24 T ^h 11 th N.R. 5 th W.

T. N. 11. N. R. N. 57. 2nd Ann. Ind.

40.00 Set a 74 support from which
 W Oak. 18 in. dia. beam N 40 E. 16 links north & a,
 Buck. 15 " " " S 35 W 19 " "
 80.00 Set a tumpst post for the cor. of sec. 11. 12. 13 & 14
 Landa and timber same as last mile.

Cash On a Randam line between Sec. 12 & 13. T. 11. N. R. 57

West On the true line between Sec. 12 & 13. T. 11. N. R. 57
 3.50 To a Brook 8 links N. W. corner N.
 40.00 Set a 74 support on the true line from which
 Willow 8 in. dia. beam N 53 E. 25 links east & a,
 Lycamore 5 " " " S 65 W 26 " "
 The above post in a creek 50 links N. W. corner S. 77.
 45.00 To a creek. 50 links N. W. corner N. W.
 80.00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which
 Buck 24 in. dia. beam N 35 W. 8 links north & a,
 L. 9 " " " S 67 E. 21 " "
 Measuring lands; Timber Oak, Buck, & Sugar.
 April 2nd 1814.

North Return Sec. 11 & 12 T. 11. N. R. 57.
 17.00 To a creek 75 links N. W. corner N.
 40.00 Set a 74 support from which
 W Oak. 14 in. dia. beam. S 5 E. 26 links north & a,
 Buck. 10 " " " West 22 " "
 64.00 To a Sugar. 15 in. dia. in the line.
 80.00 Set a tumpst post for the cor. of sec. 1. 2 & 11 & 12.
 Landa & timber same as last mile.

Cash On a Randam line between Sec. 1 & 12 T. 11. N. R. 57.

West On the true line between Sec. 1 & 12 T. 11. N. R. 57.

	Through a Swamp
10.00	Out of Swamp
19.00	To a lake 50 links N.W. corner S.
40.00	Set a 74 stake on the line from which Poplar. 36 in. dia. beam. S 80 E. 24 links out; 7 a, Buck 9 " " " S 20 W. 4 " "
81.00	Set a post for the cor of sec. 1, 2, 11. S 70 W from which Buck. 12 in. dia. beam. S 20 W. 5 links out; 7 a, H. 20 " " " S 50 W. 27 " " Good Buck. & Oak land.
North	Return Sec. 1 & 2 T. 11. N.R. 5 W.
40.00	Set a 74 stake from which Buck. 18 in. dia. beam. S 40 E. 19 links out; 7 a, H. 15 " " " N 30 W. 30 " "
78.00	To a Buck 15 links N.W. corner S.E.
80.75	Intersect the N. 10 boundary 200 links West of the post cor of sec. 35 & 36. T. 10 N.R. 5 W and set a post for the cor of sec. 1 & 2 from which Habit 24 in. dia. beam. S 15 E. 20 links out; 7 a, Ironwork 6 " " " N 35 W. 20 " " Mudding Sand timber Buck & Sugar.
North	Return Sec. 34 & 35 T. 11. N.R. 5 W.
40.00	Set a 74 stake from which Buck. 22 in. dia. beam. S 8 E. 30 links out; 7 a, H. 15 " " " Buck 23 " "
60.00	To a Buck 10 links N.W. corner W.
71.50	To a Buck. 18 in. dia. in the line.
80.00	Set a post for the cor of sec. 26, 27, 34 & 35. (tump)
East	On Random line between Sec. 26 & 35. T. 11. N.R. 5 W.

T. N. 11. N. R. No 577. 2nd Mer. Ind.

West On the true line between Sec. 26 & 35. T. 11. N. R. 577.
 20.00 To a Brook 10 links mas, across S.
 40.00 Set the 74 sap post from which (true line)
 Buck. 10 in. diam. beam. N 50 E. 27 links mas; & a,
 Sugar. 20 " " " N 45 W. 18 " "
 80.50 Set a post for the cor. of Sec. 26, 27, 34 & 35 from which
 Buck. 20 in. diam. beam. N 45 E. 23 links mas; & a,
 Do. 12 " " " N 74 W. 19 " "
 Good to land; Timber same.

North Return Sec. 26 & 27. T. 11. N. R. 577.
 31.50 To a Brook 8 links mas, across S. W.
 40.00 Set a post for the cor. of 74 sap from which
 Buck. 18 in. diam. beam. N 43 W. 10 links mas; & a,
 Sugar. 15 " " " S 82 W. 29 " "
 80.00 Set a post for the cor. of Sec. 22, 23, 26 & 27.
 Middleing land Timber Buck. Sugar, Oak &c.

East On a random line between Sec. 23 & 26. T. 11. N. R. 577.
 West On the true line between Sec. 23 & 26. T. 11. N. R. 577.
 40.00 Set the 74 sap post on the true line from which
 W. Oak. 24 in. diam. beam. N 50 W. 29 links mas; & a,
 Buck. 9 " " " N 48 E. 10 " "
 80.00 Set a post for the cor. of Sec. 22, 23, 26 & 27. from which
 Buck. 36 in. diam. beam. N 50 W. 29 links mas; & a,
 Do. 12 " " " N 45 E. 8 " "
 Good to Timber same as last note.

North Return Sec. 22 & 23. T. 11. N. R. 577.
 40.00 Set a 74 sap post from which
 Buck. 10 in. diam. beam. S 83 E. 8 links mas; & a,
 Do. 9 " " " S 79 W. 7 " "

T. N. 11. N. R. No 577. 2nd Mer. Ind.

147

56.00 To a Poplar 24 in. diam. in the line.
80.00 Set a temp. post for the cor. of sec. 14, 15, 22 & 23.
Middling good land; Timber Oak, Oak, Sugar, &c.
April 3. 1814

East On a Random line between Sec. 14 & 23 T. 11. N. R. 577.

West On the true line between Sec. 14 & 23 T. 11. N. R. 577.
40.00 Set a 1/4 post on the true line from which
Oak. 30 in. diam. bears N 57 W 30 links north; & a,
Do. 6 " " " S 62 E 8 " "
80.00 Set a post for the cor. of sec. 14, 15, 22 & 23 from which
Oak. 24 in. diam. bears S 52 E 17 links north; & a,
Oak. 12 " " " S 72 W 10 " "
Land and timber same as last mile.

North Between Sec. 14 & 15 T. 11. N. R. 577.

23.50 To a 1/4 Oak. 48 in. diam. in the line.
40.00 Set a 1/4 post from which
Oak. 12 in. diam. bears N 10 W 8 links north; & a,
Sugar. 10 " " " S 42 E 8 " "
80.00 Set a temp. post for the cor. of sec. 10, 11, 14 & 15 from which
Middling land; Timber Sugar, Oak, Oak, &c.

East On a Random line between Sec. 11 & 14 T. 11. N. R. 577.

West On the true line between Sec. 11 & 14 T. 11. N. R. 577.
40.00 Set a 1/4 post on the true line from which
Sugar. 22 in. diam. bears S 87 W 23 links north; & a,
Oak. 6 " " " N 57 W 5 " "
80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which
Oak. 15 in. diam. bears S 10 W 39 links north; & a,
Do. 18 " " " S 81 E 48 " "

T. N^o 11. N.R. N^o 5 N. 2nd (N.W. Ind.)

Sands and timber same as last met.

North Return Lat. 10 41. T. 11. N.R. 5 N.
 15.50 To a brush 75 mks. N.W. corner S.W.
 40.00 Set a 1/4 sap post from which a
 Stake 10 in dia. bears S 25 E. 13 mks. N.W. & a,
 Buck. 8 " " " N 32 E. 5 " "
 60.00 To a sugar, 20 in dia. stands in the line.
 80.00 Set a stump 1/4 post for the cor. of sec. 2, 3, 10 & 11
 Lands hilly, under strong timber Buck, Sugar & Oak.

East On a Random line between Lat. 2 & 11. T. 11. N.R. 5 N.

West On the true line between Lat. 2 & 11. T. 11. N.R. 5 N.
 40.00 Set a 1/4 sap post on the true line from which a
 Buck. 30 in dia. bears S 42 W. 32 mks. N.W. & a,
 No. 12 " " " N 63 E. 21 " "
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which a
 Buck. 12 in dia. bears N 4 E. 10 mks. N.W. & a,
 Sugar. 9 " " " N 63 W. 20 " "
 Hilly, rich lands; Timber some as last met.

North Return Lat. 2 & 3. T. 11. N.R. 5 N.
 19.75 To a Oak. 24 in dia. stands in the line.
 40.00 Set a 1/4 sap post from which a
 Buck. 9 in dia. bears S 81 E. 20 mks. N.W. & a,
 No. 18 " " " N 73 W. 26 " "
 82.00 Enter at the N.B. corner 150 mks. West of the post cor. of
 Lat. 34 & 35. T. 12. N.R. 5 N. & set a post for the cor. of
 Lat. 2 & 3 from which a
 Buck. 18 in dia. bears N 52 E. 20 mks. N.W. & a,
 Hick. 24 " " " S 57 W. 22 " "
 Rich Buck land.

T. N. 11. N. R. 5 W. 2nd. 11th. Ind.

80.50 Set a post for the cor of sec 21, 22, 27 & 28 from which
 Buck. 24 in. dia. beam. N 48 W 23 links north; & 2
 Sugar. 18 " " " S 45 E 33 " "
 Good land; Timber Sugar, Poplar, Oak &c.

North Return Sec. 21 & 22. T. 11. N. R. 5 W.

13.00 To a Oak 36 in. dia. in the line

40.00 Set a 7/4 post from which
 Gum. 15 in. dia. beam. N 3 E. 8 links north; & 2
 Buck. 12 " " " S 10 W. 9 " "

80.00 Set a temporary post for the cor of sec. 15, 16, 21 & 22
 Heavy of Good good land. Timber same.

East On a Random line between Sec. 15 & 22. T. 11. N. R. 5 W.

West On the true line between Sec. 15 & 22. T. 11. N. R. 5 W.

40.00 Set a 7/4 post in the true line from which
 Sugar. 12 in. dia. beam. North 4 links north; & 2
 Oak. 15 " " " S 50 E. 26 " "

80.00 Set a post for the cor of sec. 15, 16, 21 & 22 from which
 Elm. 15 in. dia. beam. S 20 E. 50 links north; & 2
 Hickory 10 " " " N 81 E. 60 " "
 Good land; Timber Sugar, Poplar, Oak &c.

North Return Sec. 15 & 16. T. 11. N. R. 5 W.

40.00 Set a 7/4 post from which
 Ironwood 5 in. dia. beam. N 43 W 8 links north; & 2
 Buck. 10 " " " S 80 E. 6 " "

60.00 To a Oak 80 links in, Corner N. W.

80.00 Set a temporary post for the cor of sec. 9, 10, 15 & 16.
 Land Wet bottom; Timber Buck Elm & Maple.

East On a Random line between Sec. 10 & 15. T. 11. N. R. 5 W.

T. N. 11. R. N. 5. W. 2nd Mer. Ind.

West 40.00	On the true line between Sec. 10. & 15. T. 11. S. R. 5. W. Get a post for the cor. of 1/4 Sec. from which a Box Elder 4. in diam. bears West 6. links dist. &c Shinnong 5. " " " S. 3. W. 8. " "
41.00	To a Buck 75. links wide; bears S. 9. W.
80.00	Get a post for the cor. of Sec. 9. 10. 15. & 16. from which a Buck 15. in diam. bears S. 45. W. 22. links dist. &c Sh. 12. " " " S. 4. E. 8. " "
	Land west Bottom; Timber Oak. & Beech, Elm &c.
North 40.00	Between Sec. 9. & 10. T. 11. S. R. 5. W. Get a post for the cor. of 1/4 Sec. from which a Buck 18. in diam. bears S. 80. E. 36. links dist. &c Sh. 18. " " " S. 82. W. 4. " "
68.50	To a Buck 24. in diam. stands in the line
80.00	Get a temp. post for the cor. of Sec. 3. 4. 9. & 10. Land middling Timber Buck, Oak &c.
East	On a Random line between Sec. 3. & 10. T. 11. S. R. 5. W.
West 40.00	On a True line between Sec. 3. & 10. T. 11. S. R. 5. W. Get a post for the cor. of 1/4 Sec. from which a Sugar 12. in diam. bears S. 6. W. 12. links dist. &c Buck 12. " " " S. 52. W. 43. " "
80.00	Get a post for the cor. of Sec. 3. 4. 9. & 10. from which a Buck 20. in diam. bears S. 40. E. 6. links dist. &c Hickory 2. " " " S. 53. W. 8. " "
	Land middling Timber. Buck. Sugar. Oak. Poplar &c
North 18.50	Between Sec. 3. & 4. T. 11. S. R. 5. W. To a Hickory 24. in diam. stands in the line
40.00	Get a post for the cor. of 1/4 Sec. from which a Buck 8. in diam. bears S. 75. W. 12. links dist. &c

T^h 11. N. W. 1/4 5th 2nd 1st Ind. 4th

Buck 10 in. diam. bears S. 76. E. 19. links dist. &c.
 82. 75 Intersecting the S. Boundary 150. links West of the Post
 Cor. of Sec. 33. & 34. E. 12. S. R. 5. W. & set a Post for the
 Cor. of Sec. 3. & 4. From which a
 W. Oak 24 in. diam. bears S. 81. E. 36. links dist. &c.
 " No. 24 " " " S. 75. W. 42 " "
 Buck & Oak Land, Apr. 5th 1814.

North Between Sec. 32. & 33. T. 11. S. R. 5. W.
 30. 00 To a W. Oak 30. in diam. stands in the line.
 35. 00 To a Buck 20 links wide; bears W.
 38. 00 " " " " " " E.
 40. 00 Set a Post for the Cor. of sec. 1/4 Sec. From which an
 Elm 20. in. diam. bears S. 45. W. 30. links dist. &c.
 Walnut 18. " " " S. 20. E. 7. " "
 41. 00 To a Buck 20. links wide; bears West.
 80. 00 Set the temp. Post for the Cor. of Sec. 28. 29. 32. & 33.
 Land middling; Timber, Oak. Sugar. Buck. Poplar &c.

East On the Random line between Sec. 28. & 33. T. 11. S. R. 5. W.
 West On the true line between Sec. 28. & 33. T. 11. S. R. 5. W.
 40. 00 Set the Post for the Cor. of 1/4 Sec. From which a
 W. Oak 24 in. diam. bears S. 78. E. 22. links dist. &c.
 " No. 36. " " " S. 58. E. 40. " "
 79. 00 Set a Post for the Cor. of Sec. 28. 29. 32. & 33. From which
 a Poplar 24. in. diam. bears S. 15. E. 27. links dist. &c.
 Buck 12. " " " S. 15. E. 23. " "
 Land pretty good; Timber; Oak. Buck &c.

North Between Sec. 28. & 29. T. 11. S. R. 5. W.
 40. 00 Set a Post for the Cor. of 1/4 Sec. From which an
 Ash 5. in. diam. bears S. 10. W. 36. links dist. &c.

T. N. 11. N. R. No 5 M. D. M. M. Ind.

60.00	Beech 10 in diam. bears S 85. W. 10 links dist
80.00	To a Sugar 20 in diam. stands in the line Set a temp. post for the cor. of Sec. 20. 21. 28. & 29. Land good; Timber. Oak. Beech. Poplar. &c.
East	On a Random line between Sec. 21. & 28. T. 11. S. R. 5 M.
West	On the true line between Sec. 21. & 28. T. 11. S. R. 5 M.
40.00	Set a post for the cor. of 1/4 Sec. from which a Beech 6 in diam. bears S. 45. E. 8 links dist. &c. Beech 20 " " " S. 10. W. 9. " "
79.00	Set a post for the cor. of Sec. 20. 21. 28. & 29. from which a Beech 12 in diam. bears S 78. E. 14 links dist. &c. No. 24. " " " S 76. W. 10. " " Land well clothing good; Timber as before
North	Between Sec. 20. & 21. T. 11. S. R. 5 M. D. M. M.
40.00	Set a post from which Sugar. 18 in diam. bears S 20 E. 13 links dist. &c. Sassafras 10 " " " N 46 E. 10. " "
80.00	Set a temp. post for the cor. of Sec. 16. 20 & 21 Pretty good land; Timber Sugar, Beech & Oak.
East	On a Random line between Sec. 16 & 21. T. 11. N. R. 5 M.
West	On the true line between Sec. 16 & 21. T. 11. N. R. 5 M.
40.00	Set a post on the true line from which a Sugar. 10 in diam. bears S 42 E. 8 links dist. &c. Poplar 7 " " " N 36 W. 25. " "
80.00	Set a post for the cor. of Sec. 16 & 21. from which a Walnut. 12 in diam. bears S 48 E. 31 links dist. &c. Sugar. 10 " " " N 80 W. 42. " " Pretty good land. Timber Beech, Sugar &c.

T^N 11. N.R. N^o 577 and N^o 578

North Between Sec 16 & 17 T^N 11. N.R. 577.
 38.00 Traleruk 8 links mid, Come West
 40.00 Set a $\frac{1}{4}$ sa post from which
 Sycamore 20 in. diam. bend. N 52 W 30 links mid; 7a
 Elm. 12 " " " S 32 W 44 " "
 58.00 Loak Buck 20 in diam. stands in the line.
 80.00 Set a temp. post for the cor of sec. 8. 9. 16 & 17
 West Buck, Bottom.

East On Anklam line between Sec. 9 & 16. T^N 11. N.R. 577.

West Between Sec. 9 & 16 On the true line T^N 11. N.R. 577.
 40.00 Set a $\frac{1}{4}$ sa post on the true line from which
 Oak 18 in diam. bend. N 36 E. 5 links mid; 7a
 Maple. 12 " " " S 10 E. 23 " "
 80.00 Set a post for the cor of sec. 8. 9. 16. 17 from which
 Buck. 10 in diam. bend. N 54 W 8 links mid; 7a
 Ls. 15 " " " East 33 " "
 West Buck. Sando; April 6. 1814

North Between Sec. 8 & 9 T^N 11. N.R. 577.
 40.00 Set a $\frac{1}{4}$ sa post from which
 Buck. 15 in. diam. bend. S 22 W 13 links mid; 7a
 Sugar. 18 " " " N 52 W 12 " "
 55.50 To a Oak 30 in diam. in the line.
 80.00 Set a temp. post for the cor. of sec. 4. 5. 8 & 9.
 Pretty good land; Timber Buck. Oak, Sugar Des.

East On Anklam line between Sec. 4 & 9. T^N 11. N.R. 577

West On the true line between Sec. 4 & 9 T^N 11. N.R. 577
 40.00 Set the $\frac{1}{4}$ sa post on the true line from which
 Sugar. 12 in. diam. bend S 82 E. 14 links mid; 7a
 Ls. 18 " " " S 72 W 9 " "

155

T. N. 11. N.R. N. 577. 2nd Mer. Ind.

80.00	Set a post for the cr. of sec. 4, 5, 8 & 9. From which is Measured 7 in. diam. trees. S 88 E. 8 links north; & a, Sugar. 14 " " " N 37 W. 50 " " Land hilly and rich; Timber Red. Sugar & Oak.
North	Return Sec. 4 & 5. T. 11. N.R. 577.
40.00	Set a 1/4 section post from which is Meas. 24 in. diam. trees. S 50 W. 22 links north; & a, Red. 12 " " " East 5 " "
83.00	Intersect the N. 577 at the post cr. of sec. 32 & 33. T. 12. N.R. 577. Land hilly and rich Timber Redwood.
North	Return Sec. 31 & 32 T. 11. N.R. 577.
18.00	To a Poplar. 36 in. diam. in the line.
40.00	Set a 1/4 section post from which is Red. 18 in. diam. trees. S 76 W. 21 links north; & a, Oak 20 " " " N 85 E. 20 " "
40.00	To a Oak 25 links west, Corner N.W.
80.00	Set a temporary post for the cr. of sec. 29, 30, 31 & 32 Good upland; first bottom; Timber Oak, Poplar &.
East	On a Random line between Sec. 29 & 30. T. 11. N.R. 577.
West	On the true line between Sec. 29 & 30 T. 11. N.R. 577
40.00	Set the 1/4 section post on the true line from which is Sugar. 15 in. diam. trees. N 78 W. 16 links north; & a, Red. 8 " " " S 82 E. 12 " "
80.00	Set a post for the cr. of sec. 29, 30, 31 & 32 from which is Meas. 18 in. diam. trees. S 45 E. 32 links north; & a, Sugar. 18 " " " N 42 W. 27 " " Pretty good land; Timber Sugar, Red. Oak, & Poplar.

T. N. 11. N. R. N. 5 W. 2nd Mer. Ind.

West Return Sec 30 & 31 T. 11. N. R. 5 W.
 40.00 Set a 1/4 sec post from which
 Maple 9 in. dia. bears S 45 W 19 links each; & a
 Do. 12 " " " East 29 " "
 51.50 To a corner 50 links via, Corner N. W.
 55.00 " " " " " " " " S. W.
 79.50 Set out the West Boundary at the post cor of sec. 36 & 25.
 T. 11. N. R. 6 W.
 Wet lands timber Elm, Maple & Water Birch.

North Return Sec 29 & 30 T. 11. N. R. 5 W.
 40.00 Set a 1/4 sec post from which
 W Oak 30 in. dia. bears S 10 E. 26 links each; & a
 Sugar. 18 " " " S 57 W 21 " "
 80.00 Set a temp. 1/4 post on the line for the cor of sec. 19, 20, 29 & 30
 Good land Timber Birch, Sugar, & Oak. &c.
 April 7. 1814.

East On a Random line between Sec 25 & 29. T. 11. N. R. 5 W.

West On the true line between Sec. 20 & 29 T. 11. N. R. 5 W.
 40.00 Set a 1/4 sec post on the true line from which
 Birch. 24 in. dia. bears N 45 E. 36 links each; & a
 Do. 12 " " " S 63 W 16 " "
 80.00 Set a post for the cor of sec. 19, 20, 29 & 30 from which
 Birch 15 in. dia. bears S 58 E. 28 links each; & a
 Do. 12 " " " West 14 " "
 Pretty Good land: Timber Birch, Hickory & Oak.

West On the true line between Sec. 19 & 30. T. 11. N. R. 5 W.
 40.00 Set a 1/4 sec post from which
 Birch 36 in. dia. bears S 62 E. 13 links each; & a
 Hickory 18 " " " N 35 W 18 " "

79.00	Intersect the West Boundary 50 links North of the peak cor of sec. 24 & 25 T. 11. N. R. 6 W. and set a post for the cor of sec. 19 & 30 from which Maple. 15 in. diam. band. South 20 links dist; & a Box Elder. 26 " " " N 80 E. 20 " " Land level and set; Timber Buck, Hickory & Gum. 1/2.
North	Return Sec. 19 & 20. T. 11. N. R. 5 W.
40.00	Set a 74 support from which Buck. 20 in. diam. band. S 53 E. 17 links dist; & a Do 15 " " " " N 57 W 36 " "
51.00	Set a 74 Oak 36 in. diam. in the line.
80.00	Set a temporary post for the cor of sec. 17, 18, 19 & 20 Land and timber same as last mile.
East	On a Random line between Sec. 17 & 20 T. 11. N. R. 5 W.
West	On the true line between Sec. 17 & 20 T. 11. N. R. 5 W.
40.00	Set a 74 support on the true line from which Buck. 15 in. diam. band. N 52 E. 14 links dist; & a Do. 9 " " " " S 47 W 10 " "
80.00	Set a post for the cor of sec. 17, 18, 19 & 20 from which Sugar. 22 in. diam. band. S 46 W 17 links dist; & a Do. — " " " " N 56 E. 50 " " Land hilly and rich; Timber Buck Sugar, Oak.
West	Return Sec. 18 & 19. T. 11. N. R. 5 W.
40.00	Set a 74 support from which Buck 20 in. diam. band. N 22 W. 14 links dist; & a Simpson 8 " " " " S 35 E. 19. " "
78.57	Intersect the West Boundary 50 links North of the peak cor of sec. 13 & 24 T. 11. N. R. 6 W. & set a post for the cor. of sec. 18 & 19 from which

T. N. 11. MR. 5N 2nd Mer. Sud.

Buck 10 in. diam. beam. S44 N. 8 links each; & 3
 Do 12 " " " North 20 " "
 Sunde and timber same as last mile.

North Return Sat. 17 & 18 T. 11. MR. 5N
 40.00 Set a 1/4 report from which
 Sugar 20 in. diam. beam. S10 N. 6 links each; & 3
 Walnut 9 " " " N76 E. 28 " "
 45.00 To Lake 90 links via, Corner W.
 80.00 Set a temp. 1/4 post for the cor. of sec. 7 & 8. 17 & 18
 Wet Buck lands;

East On a Random line between Sec. 8 & 17 T. 11. MR. 5N

West On the true line between Sec. 8 & 17 T. 11. MR. 5N.
 40.00 Set a 1/4 report on the true line from which
 Buck 15 in. diam. beam. S57 N. 29 links each; & 3
 Do 10 " " " S3 E. 15 " "
 80.00 Set a post for the cor. of sec. 7 & 8. 17 & 18 from which
 Oak 6 in. diam. beam. East 25 links each; & 3
 Black 5 " " " N76 N 15 " "
 Wet Buck and Oak lands;

West Return Sat. 7 & 18 T. 11. MR. 5N.
 40.00 Set a 1/4 report from which
 Sugar 20 in. diam. beam. S87 N 38 links each; & 3
 Buck 18 " " " East 38 " "
 63.00 To Gel River 200 links via, Corner S.W.
 78.00 Intersat the West Boundary 100 links South of the
 post cor. of sec. 12 & 13 T. 11. MR. 6N. and set a
 post for the cor. of sec. 7 & 18 from which
 Buck 6 in. diam. beam. S33 E. 10 links each; & 3
 Hackberry 24 " " " N35 N 18 " "

T^h 11. N.R. N^o 5th 2nd M^{ile}. Sud.

159

Land rich bottom but overflown; Timber. Buckeye. Poplar &c
Apr. 8th 1814.

North	Between Sec ^s 7. & 8. T. 11. S. R. 5. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck 20. in. diam. bears S. 35. E. 36. links dist. & a Hickory 12 in. " " South 16. " "
42.00	To Ed River - links wide; Course W.
80.00	Set a true p ^{er} . post for the cor. of Secs 5. 6. 7. & 8. Land & timber same as last mile
East	On a Random line between Sec ^s 5. & 8. T. 11. S. R. 5. W.
West	On a True line between Sec ^s 5. & 8. T. 11. S. R. 5. W.
40.00	Set a post for the cor. of 1/4 Sec. close on the bank of Ed river. Course S. W. from which a Buck 20. in. diam. bears S. 50. links dist. & a Cherry 6. " " " S. 3. E. 20. " "
80.00	Set a post for the cor. of Secs 5. 6. 7. & 8. from which a Buckeye 20. in. diam. bears S. 52. W. 37. links dist. & a Hickory 12. " " " S. 54. E. 35. " " Land Bottom; Timber same as last mile
North	Between Sec ^s 5. & 6. T. 11. S. R. 5. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Poplar. 12 in. diam. N 64 E. 34 links dist. & a Buck 10 " " S. 6. E. 13 " "
75.00	To Ed River; Course S. E.
83.00	Enter out the N ^o Boundary at the first cor. of sec. 31. T. 32 T. 12 N.R. 5 th W Land overflowed bottom; Timber Buckeye & Poplar
West	Between Sec ^s 6 & 7 T. 11. N.R. 5 th W

T. N. 11. N. R. N. 57. 2nd Mer. Ind.

40.00	Set a post from which
	Maple 10 in. dia? bend. N 20 E. 24 links curb; 1/2 in.
	Ash 24 " " " S 37 E. 15 " "
50.00	Toad Swamp
60.00	Through Swamp
78.00	Enter cut the West Branch at the post cor. of sec. 1. 1812
	T. N. 677.
	Land met and Swamp. Timber Elm, & Maple
	John Hutchinson } Char. bar. Surveyed by
	Sart Barnet } Samuel Holmes L.S.

I certify that the foregoing transcript of the field notes of T. N. 11. N. R. N. 57. 2nd Mer. Ind. has been compared with the original notes in the Office and found to be correct.

Surveyor General's Office.
Cincinnati May 17. 1844

E. S. Haines
Sur. Genl.